

**AMENDMENTS TO THE CLAIMS:**

This listing of the claims will replace all prior versions, and listings, of the claims in this application.

**Listing of Claims:**

1. – 37. (Canceled)

38. (Previously Presented) A device arrangement comprising a first device of a cellular network, which device has a transmitter, a receiver and a control unit, as well as means for utilizing Bluetooth properties, and a second device having a graphical user interface which is arranged to be run in the first device and to be casted to the second device and means for utilizing Bluetooth properties arranged to communicate with the first device by Bluetooth, wherein the activity state of the user interface utilization in the second device is arranged to control the level of the Bluetooth power save mode wherein active user interface utilization is arranged to decrease said level of the power save mode and/or less active user interface utilization is arranged to increase said level of the power save mode.

39. (Previously Presented) The device arrangement of the claim 38, wherein the first device comprises also means for utilizing WLAN properties.

40. (Previously Presented) The device arrangement of claim 38, wherein said activity state of the user interface utilization is defined by the state of at least one of the following in the second device: the lock state of a lockable keypad, the lock state of a lockable touch sensitive display, the state of a screensaver, the lock state of a lockable screensaver and the state of a lid or an opening mechanism of the device.

41. (Previously Presented) The device arrangement of claim 38, wherein said activity state of the user interface utilization is defined by user input on the second device or lack of it for a chosen period of time.

42. (Previously Presented) The device arrangement of claim 41, wherein said user input is received by one of the following acts on the second device: a touch on a key, keypad or touch sensitive display, opening or closing of a lid or an opening mechanism of the second device, or a specific sound input on the device's microphone or like.

43. (Previously Presented) The device arrangement of claim 38 wherein said activity state of the user interface utilization is defined by selection or starting of an application using Bluetooth in a menu or like in the second device.

44. (Previously Presented) A device of cellular network comprising means for utilizing Bluetooth properties arranged to communicate by Bluetooth with a second device comprising means for utilizing Bluetooth properties and a graphical user interface which is arranged to be run in the first device and to be casted to the second device, wherein the activity state of the user interface utilization in the second device is arranged to control the level of the Bluetooth power save mode wherein active user interface utilization is arranged to decrease said level of the power save mode and/or less active user interface utilization is arranged to increase said level of the power save mode.

45. (Previously Presented) The device of claim 44, wherein the first device comprises also means for utilizing WLAN properties.

46. (Previously Presented) The device of claim 44, wherein said activity state of the user interface utilization is defined by the state of at least one of the following in the second device: the lock state of a lockable keypad, the lock state of a lockable touch sensitive display, the state of a screensaver, the lock state of a lockable screensaver and the state of a lid or an opening mechanism of the device.

47. (Previously Presented) The device of claim 44, wherein said activity state of the user interface utilization is defined by user input on the second device or lack of it for a chosen period of time.

48. (Previously Presented) The device of claim 47, wherein said user input is received by one of the following acts on the second device: a touch on a key, keypad or touch sensitive display, opening or closing of a lid or an opening mechanism of the second device, or a specific sound input on the device's microphone or like.

49. (Previously Presented) The device of claim 44 wherein said activity state of the user interface utilization is defined by selection or starting of an application using Bluetooth in a menu or like in the second device.

50. (Previously Presented) A device comprising a graphical user interface which is arranged to be run in a terminal of cellular network and to be casted to said device and means for utilizing Bluetooth properties arranged to communicate by Bluetooth with the terminal of cellular network comprising means for utilizing Bluetooth properties, wherein the activity state of the user interface utilization in said device is arranged to control the level of the Bluetooth power save mode wherein active user interface utilization is arranged to decrease said level of the power save mode and/or less active user interface utilization is arranged to increase said level of the power save mode.

51. (Previously Presented) The device of claim 50, wherein said activity state of the user interface utilization is defined by the state of at least one of the following in the second device: the lock state of a lockable keypad, the lock state of a lockable touch sensitive display, the state of a screensaver, the lock state of a lockable screensaver and the state of a lid or an opening mechanism of the device.

52. (Previously Presented) The device of claim 50, wherein said activity state of the user interface utilization is defined by user input on the second device or lack of it for a chosen period of time.

53. (Previously Presented) The device of claim 52, wherein said user input is received by one of the following acts on the second device: a touch on a key, keypad or touch sensitive display, opening or closing of a lid or an opening mechanism of the second device, or a specific sound input on the device's microphone or like.

54. (Previously Presented) The device of claim 50 wherein said activity state of the user interface utilization is defined by selection or starting of an application using Bluetooth in a menu or like in the second device.